



# STORM

A reinterpretation of a storm made by light. The *Storm* pendant and lamp show off delicate and refined lines.


U Z C A



Lampe de table – Table de lamp  
Storm SB




Lampe de table – Table lamp  
Storm glass SG



Suspension - Pendant Storm SB

Suspension - Pendant Storm SG



La longueur des câbles est réglable à l'installation.  
The height of the cables can be adjusted during installation.

## ABAT-JOURS - LAMPSHADES



Drop Paper® 100



Drop Paper® 101




Drop Paper® 103



Chinette blanche  
White chinette



Chinette noire  
Black chinette



Duke  
Duke

## VERRERIE - GLASS



Opale  
Opal




Opale et écaille  
Opal and patterned



Claire et écaille  
Clear and patterned

## CÂBLES - CABLES



Tissu noir  
Black textile



Tissu or  
Gold textile

## NUANCIER - FINISH OPTIONS



### LAITON - BRASS

- |                                     |   |
|-------------------------------------|---|
| ① Laiton satiné<br>SB Satin brass   | ② Graphite satiné<br>SG Satin graphite  |
| ③ Nickel satiné<br>SN Satin nickel  | ④ Cuivre satiné<br>SC Satin copper      |
| ⑤ Laiton poli<br>PB Polished brass  | ⑥ Graphite poli<br>PG Polished graphite |
| ⑦ Nickel poli<br>PN Polished nickel | ⑧ Cuivre poli<br>PC Polished copper     |

## TECHNICAL ADVICE

The technical characteristics provided in this document are for information purposes only and are subject to change, due to permanent evolution of LED technology.

All dimensions are approximate and may vary slightly.

### LIGHT BULBS

Use only the type of light bulb and maximum wattage shown otherwise you may damage the light fitting. Failure to use the correct light bulb and wattage will affect the warranty.


### CARE INSTRUCTIONS

Wipe with a soft cloth –do not use any cleaning products. All our light fittings are lacquered to ensure the longevity of the product– under no circumstances use detergents or solvents.

The company reserves the right to modify its products at any time without notice.

---

#### Finitions



---

#### Matériaux

Solid brass   Sheated metal cable

---

#### Sources

LED 600 lm 2700° K. Int. power supply included in canopy. Dimmable (phase cut)